

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	installation adj (program or software or data) with trigger\$3 with sensor and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:28
L2	13	installation adj (program or software or data) with sensor and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:28
L3	29	installation adj (program or software or data) same sensor and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:28
L4	28	installation adj (program or software or data) same trigger\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29
L5	12	installation adj (program or software or data) with trigger\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29
L6	82	installation adj program with start\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29
L7	56	installation adj program near4 start\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29
L8	0	installation adj program near4 start\$3 with (authenticat\$3 or validat\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29

L9	56	installation adj program near4 start\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:29
L10	27	installation adj program near4 (disk or disc or CD or \$3ROM) near4 (drive or input\$4 or insert\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:30
L11	0	"20020005774".pn. and surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:30
L12	0	"20020005774".pn. and embedded	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:30
L13	1	"5905798".pn. and embedded	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:30
L14	2	"6792112".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:06
L15	497	(RF or radio adj frequency) adj signal same wireless near2 communication and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:09
L16	4	l15 and ("380"/\$.ccls. or "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:07

L17	266	(RF or radio adj frequency) adj signal with wireless near2 communication and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
L18	36	transmit\$4 near4 (RF or radio adj frequency) adj signal with wireless near2 communication and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14
L19	36	(transmit\$4 or transmission) near4 (RF or radio adj frequency) adj signal with wireless near2 communication and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
L20	87	reduc\$3 near3 wobbl\$3 with (disk or disc or CD or \$3ROM or medium) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
L21	2	"20020188941".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 17:20
S1	699	install\$3 same transponder and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:38
S2	10	install\$3 same transponder and copy\$3 with (protect\$3 or prevent\$3 or unauthoriz\$3 or prevent\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:26
S3	689	S1 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 18:39

S4	42	S3 and install\$3 with (program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:24
S5	2880	transponder same (allow\$3 or den\$4 or permit\$4) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 08:25
S6	23	transponder same (allow\$3 or den\$4 or permit\$4) with install\$3 and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 13:03
S7	133	transponder same (allow\$3 or den\$4 or permit\$4) with (installation or program or software) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:44
S8	0	"6198875".pn. and (install\$3 or installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:00
S9	10	"5905798".pn. "5592549".pn. "5473687".pn. "5394469".pn. "4864494".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:17
S10	1	S9 and (installation or install\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:17
S11	39	RFID same (allow\$3 or den\$4 or permit\$4) with (installation or program or software) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 17:57

S12	41	RFID same (allow\$3 or den\$4 or permit\$4) with (install\$3 or installation or program or software) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 14:44
S13	4	("6198875").URPN.	USPAT	OR	OFF	2005/07/25 14:58
S14	28	("5905798").URPN.	USPAT	OR	OFF	2005/07/25 14:59
S15	3	(S13 or S14) and (transponder or RFID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:01
S16	0	S15 and (install\$3 or installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:27
S17	14	("6005940").URPN.	USPAT	OR	OFF	2005/07/25 15:27
S18	1	S17 and (RFID or transponder)	USPAT	OR	OFF	2005/07/25 15:15
S19	3	"5629981".pn. "4535355".pn. "4388643".pn.	USPAT	OR	OFF	2005/07/25 15:16
S20	2	"6005940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:27
S21	1	"20020005774".pn. and (installation or install\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:28
S22	0	"6167136".pn. and "6044046".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 17:08
S23	4	"6167136".pn. "6044046".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 17:29

S24	82	(installation or install\$3) near2 (program\$2 or software) same (electromagnetic or RF or radio adj frequenc\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:03
S25	5	S24 and (transponder or RFID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 17:32
S26	13	(RF or radio adj frequency) adj tag same (allow\$3 or den\$4 or permit\$4) with (installation or program or software) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 08:58
S27	2	"6167136".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 08:55
S28	13	(RF or radio adj frequency) adj tag same (allow\$3 or den\$4 or permit\$4) with (installation or program or software) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 08:59
S29	9	(RF or radio adj frequency) adj tag same (allow\$3 or den\$4 or permit\$4) same (installation or install\$3 or program or software) and @ad<"20010806" not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:07
S30	1698	transceiver same (allow\$3 or den\$4 or permit\$4) same (installation or install\$3 or program or software) and @ad<"20010806" not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:08
S31	209	transceiver same (allow\$3 or den\$4 or permit\$4) with (installation or install\$3) and @ad<"20010806" not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:08

S32	61	transceiver same (allow\$3 or den\$4 or permit\$4) near2 (installation or install\$3) and @ad<"20010806" not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:11
S33	167	transmitter same (allow\$3 or den\$4 or permit\$4) near2 (installation or install\$3) and @ad<"20010806" not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:22
S34	114	activat\$3 near3 (interrogator or reader) same (RF or radio adj frequency or electromagnetic) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:57
S35	52	(program or software) near (signals or instruct\$3 or activat\$3) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:00
S36	25	(program or software) near (signals or instructs or activat\$3) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:15
S37	0	installation near program same (signals or instructs or activat\$3) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:16
S38	0	installation near software same (signals or instructs or activat\$3) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:16
S39	187	(install\$3 or installation) same (signals or instructs or activat\$3) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:17

S40	157	(install\$3 or installation) same (signals or instructs or activates or activating) near3 (interrogat\$3 or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:17
S41	67	(install\$3 or installation) same (signals or instructs or activates or activating) near3 (interrogator or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:18
S42	6	(install\$3 or installation) with (program\$3 or software or product) same (signals or instructs or activat\$3) near3 (interrogator or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:20
S43	768	(install\$3 or installation) with (program\$3 or software or product or optical) same (interrogator or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:20
S44	300	(install\$3 or installation) near2 (program\$3 or software or product or optical) same (interrogator or reader) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:21
S45	6	(install\$3 or installation) near2 (program\$3 or software or product or optical) same (interrogator or reader) with (generat\$3 or quer\$3 or interrogate or interrogation) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:23
S46	1	(install\$3 or installation) near2 (program\$3 or software or product or optical) same (interrogator or reader) same transponder and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:37
S47	2	"20020067265".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:37

S48	82	(installation\$2 or install\$3) near2 (program\$2 or software) same (electromagnetic or RF or radio adj frequenc\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:03
S49	47	(installation\$2 or install\$3) near2 (program\$2 or software or data) with (electromagnetic or RF or radio adj frequenc\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:06
S50	1	(installation\$2 or install\$3) near2 (program\$2 or software or data) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:07
S51	538	(installation\$2 or install\$3) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:07
S52	76	(installation\$2 or install\$3) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) near3 field and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:08
S53	71	(installation\$2 or install\$3) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) near2 field and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:58
S54	0	(installation\$2 or install\$3) near3 (software or program or data or execut\$4 or run\$3) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) near2 field and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:09
S55	8	("5809545".pn. and "5754648".pn. "5680459".pn. "5659613".pn. "5592549".pn. "54473687".pn. "5394469".pn.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:41

S56	2	"6198875".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:50
S57	5	("6198875").URPN.	USPAT	OR	OFF	2005/11/21 13:47
S58	2	(installation\$2 or install\$3) near2 (program or software or data) with (quer\$3 or interrogat\$3) near3 (transponder or rf or rfid) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:57
S59	204	(program or software or data) with (generat\$3 or creat\$3) near3 (electromagnetic or RF or radio adj frequenc\$3) near2 field and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:01
S60	22	installation adj (program or software or data) same (electromagnetic or RF or transponder or radio adj frequency or interrogat\$3) and @ad<"20010806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:52
S61	6	"6005940".pn. "6167136".pn. "6044046".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:55
S62	0	S61 and (install\$3 or installation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:55